

Performance Cracks

MAIN TECHNICAL REQUIRMENTS

SOUND

- Required system on stage:

- Mic: Clip - On - Levalier. Senheiser MKE2 or equivalent.
- Audio mixer (Yamaha MG06 or equivalent 4+ channel stereo mixer)
- Stereo cable to connect a phone for music playback. Cable should be 3.5mm jack to 2xRCA or 2x6,3mm jack (depends on the mixer she will have on the stage).

- Required acoustic system (200 audience):

- 2 d&b Q-Sub (40 Hz - 130/100 Hz; 1600 W; 18" speaker)
- 4 d&b MAX (55 Hz - 20 kHz; 1200 W; 15" speaker/2" high frequency speaker) - - Monitor speaker

(The layout of the acoustic system - only after determining a specific venue) A main sound mixer of the venue. The mixer we used was Soundcraft MFXi (24 channel model).

- Cables:

- Connecting cables for acoustic system and stereo bus (XLR) to audio console - Line (XLR) from the monitor speaker to audio console

(Sound console location - only after determining a specific venue of the performance)

STAGE

Minimal Stage size: 7 x 9 m.

- Dance floor

Black dance floor, covering the whole stage

- Wings

If stage wings and backdrop are present, they should be black

If no wings are present the space should be clean and uncluttered

- PROPS PROVIDED BY THE VENUE

Grey or black table with 4 legs. Measurements of table plate: 120-140 cm x 60-80 cm

Grey or black chair with a backrest

Chair and table should match in style and color


LIGHTS

- Light technical plot is provided below.

Light fixtures should have a flexibility to be moved to the sides (>1m), final positions determined upon the light designers arrival at the space.

- Light console

Should be provided by venue (ETC coloursource 20, Grand MA2/On PC wing) The suggested light consoles are based on preference with prior notice we are flexible on the type of console.



Instrument Count

Venue: Black box

Show: Cracks

Designer: Monika Serstabojaite

Combined report

Type	Lens	Lamp	Fixture Options	Count
Status: HUNG				
ColorSource 25/50 Zoom		S4 LED Daylight	Mode: 5ch	5
ColorSource Par	WO	LED	Mode: 5ch	10

Legend

Symbol Name



ColorSource Par



ColorSource 25/50 Zoom

